Amendments to the Claims

The listing of claims will replace all prior versions, and listings of claims in the application.

1. (Currently Amended) A broadcast television system committee (BTSC) decoder, comprising:

an intermediate frequency (I/F) demodulator configured to convert and demodulate received I/F signals to digital audio samples, an output of the I/F demodulator being scalable;

a digital signal processor (DSP) configured to BTSC-decode the digital samples; and an all digital interface that couples the I/F demodulator to the DSP; wherein the digital samples are composite BTSC samples formatted in accordance with multi-channel television sound (MTS) standards.

- 2. (Original) The decoder of claim 1, wherein the received analog I/F signal is a carrier signal.
 - 3. (Previously Cancelled)
- 4. (Original) The decoder of claim 1, wherein the digital interface does not include a digital to analog converter (DAC).
- 5. (Original) The decoder of claim 1, wherein the digital interface does not include a gain control device.

- 6. (Original) The decoder of claim 1, wherein the digital interface does not include an analog to digital converter (ADC).
- 7. (Original) The decoder of claim 1, wherein the DSP does not include an automatic gain control (AGC) device.
- 8. (Currently Amended) A broadcast television system committee (BTSC) decoder including an (i) intermediate frequency (I/F) demodulator configured for demodulating received analog I/F signals and converting the received I/F analog signals to digital form, the I/F demodulator having a scalable output and (ii) a digital signal processor (DSP) configured to process the digital signals output from the I/F demodulator, the decoder comprising:

a digital interface configured to couple the I/F demodulator and the DSP;

wherein the digital interface is configured to transfer digital samples that are

composite BTSC samples formatted in accordance with multi-channel television sound

(MTS) standards.

- 9. (Original) The decoder of claim 8, wherein the DSP does not include an automatic gain control device.
- 10. (Original) The decoder of claim 8, further comprising a scalable digital output.

- 11. (Original) The decoder of claim 8, wherein the digital interface is all digital.
- 12. (Original) The decoder of claim 8, wherein the digital interface does not include a digital to analog converter (DAC).
- 13. (Original) The decoder of claim 8, wherein the digital interface does not include an analog to digital converter (ADC).
- 14. (Original) The decoder of claim 8, wherein the digital interface permits the digital signal to be transferred from the I/F demodulator to the DSP in a purely digital domain.
 - 15. (Cancelled)